U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE Docket Number: EMENTAL INFORMATION 12961/46601 DISCLOSURE STATEMENT Filing date Examiner Art Unit Application Number April 26, 2005 **NAGUBANDI** 1621 10/532,836 Invention Title Inventor(s) Breitenbach et al. **HIGHLY PURE BASES OF 3,3-DIPHENYLPROPYLAMINO MONOESTERS**

Address to:

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450 I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on:

Date: February 21, 2007

- In accordance with the duty of disclosure under 37 C.F.R. § 1.56 and in conformance with the 1. procedures of 37 C.F.R. §§ 1.97 and 1.98 and M.P.E.P. § 609, attorneys for Applicant hereby brings the attached references to the attention of the Examiner. These references are listed on the attached modified PTO Form No. 1449. It is respectfully requested that the information be considered during the prosecution of this application, and that the references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.
- 2. The filing of this Information Disclosure Statement and the attached PTO Form No. 1449, shall not be construed as an admission that the information cited is prior art, or is considered to be material to patentability as defined in 37 C.F.R. § 1.56(b).
- A copy of each patent, publication or other information listed on the modified PTO form 3. 1449 is enclosed, however, in accordance 37 C.F.R. § 1.98 (a)(2)(ii), copies of each of the cited U.S. patents and U.S. patent application publications are not being provided.
- 4. The Commissioner is authorized to charge Kenyon & Kenyon LLP's Deposit Account No. 11-0600 for the 37 C.F.R. §1.17(p) fee of \$180.00 for filing this Information Disclosure Statement under 37 C.F.R. §1.97(c). The Commissioner is also authorized to charge any additional fees or credit any overpayment in connection with this paper to Kenyon & Kenyon LLP's Deposit Account No. 11-0600. A duplicate of this communication is enclosed for charging purposes.

Respectfully submitted,

Dated: February 21, 2007

93/01/2097 AWONDAF1 00000001 110600

10532836

01 FC:1806

180.00 DA

KENYON & KENYON LLP

One Broadway

New York, N.Y. 10004

(212) 425-7200 (Telephone)

(212) 425-5288 (Facsimile)

CUSTOMER NO. 26646

DISCLOSURE STATEMENT BY APPLICANT Form PTO-1449

FEB 27 2007

| ICATION NO. 2,836 | | | |
|---------------------------------------|--|--|--|
| | | | |
| FILING DATE GROUP April 26, 2005 1621 | | | |
| Ĺ | | | |

U. S. PATENT DOCUMENTS*

| EXAMINER INITIAL | PATENT/PUBLICATION NUMBER | PATENT/PUBLICATION DATE | NAME | CLASS | SUBCLASS | FILING DATE |
|---------------------|------------------------------|----------------------------|--------------------------|-------|----------|----------------|
| | 2,556,636 | June 12, 1951 | Nathan Sperber et al. | | | |
| • | 2,567,245 | September 11, 1951 | Nathan Sperber et al. | | | |
| | 2,676,964 | April 27, 1954 | Nathan Sperber et al. | | | |
| | 3,261,841 | July 19, 1966 | Bernard L. Zenitz | | | |
| | 3,446,901 | May 27, 1969 | G. J. Macclesfield | | | |
| | 4,988,730 | January 29, 1991 | Korbonits et al. | | | |
| | 5,382,600 | January 17, 1995 | Jonsson et al. | | | |
| | 5,559,269 | September 24, 1996 | Johansson et al. | | | |
| | 5,922,914 | July 13, 1999 | Gage et al. | | | |
| | 6,517,864 | February 11, 2003 | Orup Jacobsen et al. | | | |
| | 6,310,248 | October 30, 2001 | Andersson et al. | | | |
| | 6,566,537 | May 20, 2003 | Andersson et al. | | | |
| | 6,630,162 | October 7, 2003 | Nilvebrant et al. | | | |
| | 6,689,916 | February 10, 2004 | Andersson et al. | | | |
| | 6,713,464 | March 30, 2004 | Meese et al. | | | |
| | 6,770,295 | August 3, 2004 | Kreilgard et al. | | *** | |
| | 6,783,769 | August 31, 2004 | Arth et al. | | | |
| | 6,809,214 | October 26, 2004 | Meese | - | | |
| | 6,809,225 | October 26, 2004 | Donsbach et al. | | | |
| | 6,858,650 | February 22, 2005 | Meese | | † | |
| | 6,890,920 | May 10, 2005 | Richards et al. | | | |
| | 6,911,217 | June 28, 2005 | Gren et al. | | | |
| | 2003/0124179 | July 3, 2003 | Jacobsen, Lene O. et al. | | | |
| | 2004/0186061 | September 23, 2004 | Meese, Claus et al. | | 1 | |
| | 2005/0004223 | January 6, 2005 | Slatter, John G. et al. | | | · · · |
| | 2003/0152624 | August 14, 2003 | Aldrich et al. | | 1 | |
| | 2003/0158176 | August 21, 2003 | Richards et al. | | | |
| , ' | 2004/064821 | April 1, 2004 | Rousselle | | | |

^{*-} copies of U.S. references are not enclosed

FOREIGN PATENT DOCUMENTS

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSL | ATION |
|---------------------|--|--------------------|---------|-------|----------|--------|--------------|
| | 925 468 (in German, with English translation) | March 21, 1955 | DE | | | YES | |
| | 1 216 318 (in German, with English translation) | May 12, 1966 | DE | | | YES | |
| | 325 571 | July 26, 1989 | EP | | | | |
| | 624 117 | May 27, 1949 | GB | | | | |
| | 627 139 | July 29, 1949 | GB | | | | |
| | 667 852 | August 23, 1995 | EP | | | | <u> </u> |
| | 685 696 | January 07, 1953 | GB | | | | |
| | 689 835 | April 08, 1953 | GB | | | | <u> </u> |
| | 690 274 | April 15, 1953 | GB | | | | |
| | 692 931 | June 17, 1953 | GB | | | | |
| | 766,207 | December 22, 1952 | DE | | | YES | |
| | 831,799 | June 7, 1996 | EP | | | | |
| | 830,193 | February 04, 1952 | DE | | | YES | |
| | 872,233 | April 14, 1997 | EP | | | | |
| | 948,321* | December 10, 1997 | EP | | | | |
| | 957,073 | May 12, 1998 | EP | | | | <u> </u> |
| | 1 019 358 | July 19, 2000 | EP | | | | |
| | 1,025,041 | February 24, 1964 | GB | | | | |
| | 1 128 819 | September 05, 2001 | EP | | | - | |
| | 1 169 944 | November 05, 1969 | GB | | | | |
| | 1 169 945 | November 05, 1969 | GB | | | | |
| | WO 93/23025 | November 25, 1993 | PCT | • | | | |
| | WO 96/12477 | May 02, 1996 | PCT | | | | |
| | WO 98/03067 | January 29, 1998 | PCT | | | | |
| | WO 98/43942 | October 8, 1998 | PCT | | | | |
| | WO 98/56359** | December 17, 1998 | PCT | - | | | |
| | WO 00/12069 | March 09, 2000 | PCT | | | | |
| | WO 00/27364 | May 18, 2000 | PCT | | | | - |
| | WO 01/34139 | May 17, 2001 | PCT | | | | |
| | WO 02/089773 | November 14, 2002 | PCT | | | | |
| | WO 02/11702 | February 14, 2002 | PCT | | | | |
| | WO 03/002059 | January 9, 2003 | PCT | | | | |
| | WO 03/007918 | January 30, 2003 | PCT | | | | |
| | WO 03/020241 | March 13, 2003 | PCT | | | | |
| | WO 03/026564 | April 3, 2003 | PCT | - | | | |
| | WO 03/035599 | May 1, 2003 | PCT | | | _ | |
| | WO 03/039464 | May 15, 2003 | PCT | | | | |
| - | WO 03/063834 | August 7, 2003 | PCT | | | | |
| | WO 03/099268** | December 4, 2003 | PCT | | | | |
| | WO 03/103637 | December 18, 2003 | PCT | | | - | |
| | WO 03/106421 | December 24, 2003 | PCT | | | | |

| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION |
|---------------------|--------------------|----------------|---------|-------|----------|-------------|
| | WO 03/021271 | March 13, 2003 | PCT | | | |
| | WO 04/019892 | March 11, 2004 | PCT | | | |

OTHER DOCUMENTS

| EXAMINER INITIAL | AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC. |
|---------------------|--|
| | Abrams et al., "Tolterodine, a new antimuscarinic agent: as effective but better tolerated than oxybutynin in patients with an overactive bladder," 1998, Br. J. Urol. 81:801-810 |
| | Abstracts from the 26 th Annual Meeting of the International Incontinence Society, August 27-30, 1996, Gillberg et al., abstract 33, Neurology and Urodynamics 15:308-309 |
| | Anderson et al., "Once daily controlled versus immediate release oxybutynin chloride for urge urinary incontinence," 1999, J. Urol. 161:1809-1812 |
| | Andersson et al., "Pharmacological treatment of urinary incontinence," in Abrams P., Khoury S., Wein A. (Eds), <u>Incontinence, 2nd International Consultation on Incontinence</u> , Plymouth, Plymbridge Distributors Ltd, UK, Plymouth, 2002, pp 479-511 |
| | Andersson, "Antimuscarinics for treatment of overactive bladder," 2004, Lancet Neurol. 3:46-53 |
| | Andersson & Hedlund, "Pharmacological perspective on the physiology of the lower urinay tract," 2002, Urology 60(Suppl. 5A):13-20 |
| | Andersson & Wein, "Pharmacology of the lower urinary tract: basis for current and future treatments of urinary incontinence," 2004, Pharmacol. Rev. 56:581-631 |
| | Appell et al., "Prospective randomized controlled trial of extended release oxybutynin chloride and tolterodine tartrate in the treatment of overactive bladder: results of the OBJECT study," 2001, Mayo Clinic Proceedings 76:358-363 |
| | Breidenbach et al., "Pharmacodynamic profiling of the novel antimuscarinic drug fesoterodine on rat bladder," 2002, Proceedings of the International Continence Society, 32:449 |
| | Brynne et al., "Influence of CYP2D6 polymorphism on the pharmacokinetics and pharmacodynamics of tolterodine, 1998, Clin. Pharmacol. Thera. 63:529-539 |
| | Brynne et al., "Tolterodine does not affect the human in vivo metabolism of the probe drugs caffeine, debrisoquine, and omeprazole," 1999, Br. J. Clin. Pharmacol. 47:145-150 |
| | Brynne et al., "Fluoxetine inhibits the metabolism of tolterodine – pharmacokinetic implications and proposed clinical relevance," 1999, Br. J. Clin. Pharmacol. 48:553-563 |
| | Brynne et al., "Ketoconazole inhibits the metabolism of tolterodine in subjects with deficient CYP2D6 activity," 1999, Br. J. Clin. Pharmacol. 48:564-572 |
| | Cawello et al., "Multiple dose pharmacokinetics of fesoterodine in human subjects," 2002, Nauyn-Schmiedeberg's Arch. Pharmacol. 365 (Suppl. 1):428, 2002 |
| | Chancellor et al., "A comparison of the effects on saliva output of oxybutynin chloride and tolterodine tartrate," 2001, Clinical Therapeutics 23:753-760 |
| | Chapple & Udo, "Delay to maximum effect in overactive bladder patients treated with oxybutynin or tolterodine," 2000, European Urology 37(Suppl. 2):84, abstract 335 from the XVth Congress of the European Association of Urology, Brussels, Belgium, April 12-15, 2000 |
| | Chapple et al., "Fesoterodine a new effective and well-tolerated antimuscarinic for the treatment of urgency-frequency syndrome: results of a Phase II controlled study," 2004, Proceedings of the International Continence Society, 34:142 |
| | Clemett & Jarvis, "Tolterodine: a review of its use in the treatment of overactive bladder," 2001, Drugs & Aging 18:277-304 |
| | Cole, "Fesoterodine, an advanced antimuscarinic for the treatment of overactive bladder: A safety update," 2004, Drugs of the Future 29:715-720 |

^{*-} English translation of claims provided

**- English translation of abstract provided

| EXAMINER INITIAL | AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC. |
|---------------------|---|
| | Committee for Proprietary Medicinal Products, "The assessment of the potential for QT interval prolongation by non-cardiovascular medicinal products," CPMP/986/96, December 17, 1997 |
| | Detrol® package insert, Pharmacia & Upjohn Co., April, 2004 |
| | Diokno et al., "Tolterodine (Detrol®) improves incontinence and nocturia in urological based study," 1999 April, J. Urol. 161 (4 Suppl):256, abstract 987 |
| | Ekstrom et al., "Effects of tolterodine on bladder function in healthy volunteers," Journal of Urology 153(Suppl.):394A, abstract 662 from the 19 th Annual Meeting of the American Urological Association, Las Vegas, April 23-28, 1995 |
| • | Gardner & Altman, "Confidence intervals rather than P values: estimation rather than hypothesis testing," 1986, Br. Med. J. 292:746-750 |
| • | Gillberg et al., "Tolterodine, a new agent with tissue effect selectivity for urinary bladder," 1994, Neurourology and Urodynamics 13:435-436, abstract 60B from International Continence Society 24th Annual Meeting, Prague, Czech Republic, August 1994 |
| | Gillberg et al., "Comparison of the in vitro and in vivo profiles of tolterodine with those of subtype-selective muscarinic receptor antagonists," 1998, European Journal of Pharmacology 349: 285-292 |
| | Hills et al., "Tolterodine," 1998, Drugs 55:813-820 |
| | Jonas et al., "Efficacy and safety of two doses of tolterodine versus placebo in patients with detrusor overactivity and symptoms of frequency, urge incontinence, and urgency: urodynamic evaluation," 1997, World J. Urol. 15:144-151 |
| | Kang et al., "Cardiac ion channel effects of Tolterodine," 2004, J. Pharmacol. Exper. Thera. 308:935-940 |
| | Kershen & Hsieh, "Preview of new drugs for overactive bladder and incontinence: darifenacin, solifenacin, trospium, and duloxetine," Curr. Urol. Rep. 5:359-367 |
| | Klosa, "Eine Neue Synthesemethode der Darstellung von Diarylalkylaminen," 1966, Journal für Praktische Chemie 4:312-334 (in German) with English translation |
| | Klosa, "Eine Neue Synthese von Diphenylisopropylaminen," 1966, Journal für Praktische Chemie 4:335-340 (in German, with English translation) |
| | Larsson et al., "Tolterodine in the treatment of overactive bladder: analysis of the pooled phase II safety and efficacy data," 1999, Urology 53: 990-998 |
| | Lipinski, et al., "Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings" Elsevier Advanced Drug Delivery Reviews Vol. 23, pp. 3-25, 1997 |
| | Millard et al., "Clinical efficacy and safety of tolterodine compared to placebo in detrusor overactivity," 1999, J. Urol. 161:1551-1555 |
| | Modiri et al., "Effect of muscarinic antagonists on micturition pressure measured by cystometry in normal, conscious rats," 2002, Urology 59:963-968 |
| | Naerger et al., "Effect of tolterodine on electrically induced contractions of isolated human detrusor muscle from stable and unstable bladders," 1995, Neurourology and Urodynamics 14:524-526, abstract 76 from International Continence Society 25 th Annual Meeting, Sydney, Australia, October 1995 |
| | Netzer, et al., "Screening lead compounds for QT interval prolongation" Drug Discovery Today Vol. 6, No. 2, pp.78-84, January 2001 |
| | Nilsson et al., "Comparison of a 10 mg controlled release oxybutynin tablet with a 5 mg oxybutynin tablet in urge incontinence patients," 1997, Neurourol. Urodyn. 16:533-542 |
| | Nilvebrant & Sparf, "Receptor binding profiles of some selective muscarinic antagonists," 1988, European Journal of Pharmacology 151:83-96 |
| | Nilvebrant & Sparf, "Differences between Binding Affinities of some Antimuscarinic Drugs in the parotid Gland and those in the Urinary Bladder and Ileum" Acta Pharmacol. et toxicol. Vol. 53, No. 4, pp. 304-313, October 1983 |

| EXAMINER INITIAL | AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC. |
|---------------------|---|
| | Nilvebrant et al., "The in vitro pharmacological profile of tolterodine – a new agent for the treatment of urinary urge incontinence," 1994, Neurourology and Urodynamics 13:433-435, abstract 60A from International Continence Society 24 th Annual Meeting, Prague, Czech Republic, August 1994 |
| | Nilvebrant et al., "Tolterodine is not subtype (m1-m5) selective but exhibits functional bladder selectivity in vivo," 1996, Neurourology and Urodynamics 15:310-311, abstract 34 from the 26th Annual Meeting of the International Continence Society, Athens, Greece, August 27-30, 1996 |
| | Nilvebrant, "Tolterodine and terodiline – different pharmacological profiles," pages 141-142, abstract 181a, from the 27th Annual meeting of the International Continence Society, Yokohama, Japan, September 1997 |
| | Nilvebrant et al "Tissue distribution of tolterodine and its metabolites: low penetration into the central nervous system," 2000, European Urology 37(Suppl. 2):84, abstract 333 from the XVth Congress of the European Association of Urology, Brussels, Belgium, April 12-15, 2000 |
| | Nilvebrant, "The mechanism of action of tolterodine," 2000, Reviews in Contemporary Pharmacotherapy 11:13-27 |
| | Olsson et al., "Food increases the bioavailability of tolterodine but not effective exposure," 2001, J. Clin. Pharmacol. 41:298-304 |
| | Olsson & Szamosi, "Food does not influence the pharmacokinetics of a new extended release formulation of tolterodine for once daily treatment of patients with overactive bladder," 2001, Clinical Pharmacokinetics 40:135-143 |
| | Olsson & Szamosi, "Multiple dose pharmacokinetics of a new once daily extended release formulation versus immediate release tolterodine," 2001, Clinical Pharmacokinetics 40:227-235 |
| | Pharmacology/Toxicology Review from Application Number 21-518, Center for Drug Evaluation and Research, pp. 1-3. |
| | Rentzhog et al., "Efficacy and safety of tolterodine in patients with detrusor instability: a dose ranging study," 1998, Br. J. Urol. 81:42-48 |
| | Roy, et al., "HERG, a Primary Human Ventricular Target of the Nonsedating Antihistamine Terfenadine" Circulation Vol. 94, No. 4, pp. 817-823, August 15, 1996 |
| | Sachse et al., "Pharmacodynamics of multiple dose treatment with the novel antimuscarinic drug fesoterodine," 2002, Nauyn-Schmiedeberg's Arch. Pharmacol. 365 (Suppl. 1):413 |
| | Sachse et al., "Safety and pharmacokinetics of the novel bladder-selective antimuscarinic drug fesoterodine in populations of different age or gender," 2002, Proceedings of the International Continence Society, 32:441 |
| | Sachse et al., "Safety and pharmacokinetics of the novel bladder-selective antimuscarinic fesoterodine in populations of different ethnic origin," 2003, Proceedings of the International Continence Society, 33:377 |
| | Sachse et al., "Dose-proportional pharmacokinetics of the new antimuscarinic fesoterodine," 2003, Nauyn-Schmiedeberg's Arch. Pharmacol. 367 (Suppl. 1):446 |
| | Sachse et al., "Pharmacodynamics and pharmacokinetics of ascending multiple oral doses of the novel, bladder-selective antimuscarinic fesoterodine," 2003, Eur. Urol. Suppl 2:111 |
| | Sachse et al., "Concomitant food intake does not significantly influence the pharmacokinetics of the novel, bladder-selective antimuscarinic fesoterodine," 2004, Proceedings of the International Continence Society, 34:580 |
| | Sachse et al., "Safety, tolerability and pharmacokinetics of fesoterodine in patients with hepatic impairment," 2004, Proceedings of the International Continence Society, 34:585 |
| | Sachse et al., "Safety, tolerability and pharmacokinetics of fesoterodine after co-treatment with the potent cytochrome P450 3A4 inhibitor ketoconazole," 2004, Proceedings of the International Continence Society, 34:586 |
| | Sachse et al., "Clinical pharmacological aspects of the novel bladder-selective antimuscarinic fesoterodine," 2004, Progrès en Urologie, 14 (Suppl. 3):58 |
| | Stahl et al., "Urodynamic and other effects of tolterodine: a novel antimuscarinic drug for the treatment of detrusor overactivity," 1995, Neurourol. Urodyn. 14:647-55 |

| EXAMINER INITIAL | AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC. | | | |
|---------------------|--|--|--|--|
| | Teuvo et al "Extended release tolterodine compared with immediate release tolterodine for the treatment of overactive bladder," 2000, European Urology 37(Suppl. 2):84, abstract 334 from the XVth Congress of the European Association of Urology, Brussels, Belgium, April 12-15, 2000 | | | |
| | Van Kerrebroeck et al., "Tolterodine once daily: superior efficacy and tolerability in the treatment of the overactive bladder," 2001, Urology 57:414-421 | | | |
| | Van Kerrebroeck et al., "Clinical efficacy and safety of tolterodine compared to oxybutynin in patients with overactive bladder," 1997, Neurourol. Urodyn. 16:478-479, abstract no. 91 from the 27th Annual meeting of the International Continence Society, Yokohama, Japan, September 1997 | | | |
| | Versi et al., "Dry mouth with conventional and controlled release oxybutynin in urinary incontinence," 2000, Obstet. Gynecol. 95:718-721 | | | |
| | Wefer et al., "Tolterodine: an overview," 2001, World Journal of Urology 19:312-318 | | | |

| EXAMINER | DATE CONSIDERED |
|--|--|
| EXAMINER: Initial if citation considered, whether or not citation is in conformance we not considered. Include copy of this form with next communication to applicant. | ith M.P.E.P. 609; draw line through citation if not in conformance and |